CYCLING FROG
CANNABIS COMPANY

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

PRODUCT NAME Passion Fruit THC Seltzer

BULK SKU SLZ.D9.PF2.6PK **BATCH #** CF063 OLCC

SERVING SIZE 2.4 fl oz (71mL) 5 servings per can

LABORATORY SC Laboratories Oregon, Anresco[1]

POTENCY	PER SERVING		PER GRAM	
Cannabidiol (CBD)	0.639	mg/serving	0.00895	mg/g
Total THC (d9-THC, THCA)	0.355	mg/serving	0.00497	mg/g
Cannabigerol (CBG)	<LOQ	mg/serving	<LOQ	mg/g
Cannabinol (CBN)	<LOQ	mg/serving	<LOQ	mg/g
Cannabichromene (CBC)	<LOQ	mg/serving	<LOQ	mg/g
Tetrahydrocannabinolic Acid (THCA)	<LOQ	mg/serving	<LOQ	mg/g
Delta-9-THC (d9-THC)	0.355	mg/serving	0.00497	mg/g
Delta-8-THC (d8-THC)	<LOQ	mg/serving	<LOQ	mg/g

HEAVY METALS	PER GRAM		REGULATORY ACTION LEVEL
Arsenic	<LOQ	µg/g	1.5 µg/g
Cadmium	<LOQ	µg/g	0.5 µg/g
Lead	<LOQ	µg/g	0.5 µg/g
Mercury	<LOQ	µg/g	3.0 µg/g

RESIDUAL SOLVENTS	PER GRAM		REGULATORY ACTION LEVEL
Ethanol[2]	<LOQ	µg/g	5,000 µg/g
Heptane	<LOQ	µg/g	5,000 µg/g
None of the other residual solvents tested were found above the regulatory action level.			

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Total Aerobic Bacteria	Pass

PESTICIDES

None of the 50+ pesticides tested were found above the regulatory limits.

Laboratory information
SC Laboratories Oregon LLC
15865 SW 74th Ave, Suite 110, Tigard, OR 97224
ORELAP accreditation 4133-012



LOQ: Limit of Quantitation

1. Lab results for cannabinoid concentration are conducted in accordance with Oregon state law. Lab results for other panels including but not limited to heavy metals, residual solvents, microbials, and pesticides are conducted and reported for the purposes of general product safety information and for meeting requirements in jurisdictions other than Oregon (such results as they appear on this certificate of analysis are not gathered and reported in a manner compliant with Oregon state law).
2. Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Sample Name: **SLZ.D9.PF2.6PK-CF063 OLCC Primary**
Tested for: ***Lazarus Naturals-Oregon***
Hemp Compliance

Laboratory ID: 26K0015-01
Matrix: Products

Sample Metrc ID: NA
Lot # CF063 OLCC
Batch RFID: NA
Batch Size: 1664 (ea)

Process Date: 8/12/2026
License: NA
Date Sampled: 11/03/26 11:03
Date Accepted: 11/03/26



Potency Analysis


Date Extracted: 11/04/26
Date Analyzed: 11/04/26

Analysis Method: UNODC 5.4.8
*** - ORELAP certified analyte**

	Primary mg/g	Duplicate mg/g	Average mg/g	% RPD	Pass/Fail (<10%RPD)
Total THC ((THCA*0.877)+d9)	0.0050	0.0040	0.0045	22.2	NA
Total CBD ((CBDA*0.877)+CBD)	0.0090	0.0080	0.0085	11.8	NA
d9-THC (d9-Tetrahydrocannabinol)*	0.0050	0.0040	0.0045	22.2	NA
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	< LOQ	NA	NA
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	< LOQ	NA	NA
Total Cannabinoids	0.0140	0.0130	0.0135	7.41	NA

Cannabinoids	% weight	mg/g	LOQ (%)
Total THC ((THCA*0.877)+d9)	0.0005	0.0050	0.00008
Total CBD ((CBDA*0.877)+CBD)	0.0009	0.0090	0.00008
d9-THC (d9-Tetrahydrocannabinol)*	0.0005	0.0050	0.00008
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.00008
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.00008
CBD (Cannabidiol)*	0.0009	0.0090	0.00008
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.00008
CBN (Cannabinol)	< LOQ	< LOQ	0.00008
CBG (Cannabigerol)	< LOQ	< LOQ	0.00008
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.00008
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.00008
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.00008
CBC (Cannabichromene)	< LOQ	< LOQ	0.0002
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.0012
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.00008
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.0012
Total Cannabinoids	0.0014	0.0140	0.00008

Cannabinoids Profile



<LOQ - Results below the Limit of Quantitation

Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

SC Labs®

Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Sample Name: **SLZ.D9.PF2.6PK-CF063 OLCC Duplicate**
Tested for: ***Lazarus Naturals-Oregon***
Hemp Compliance

Laboratory ID: 26K0015-02

Matrix: Products

Sample Metrc ID: NA
Lot # CF063 OLCC
Batch RFID: NA
Batch Size: 1664 (ea)

Process Date: 8/12/2026
License: NA
Date Sampled: 11/03/26 11:05
Date Accepted: 11/03/26

Potency Analysis


Date Extracted: 11/04/26
Date Analyzed: 11/04/26

Analysis Method: UNODC 5.4.8

*** - ORELAP certified analyte**

Cannabinoids	% weight	mg/g	LOQ (%)
Total THC ((THCA*0.877)+d9)	0.0004	0.0040	0.00008
Total CBD ((CBDA*0.877)+CBD)	0.0008	0.0080	0.00008
d9-THC (d9-Tetrahydrocannabinol)*	0.0004	0.0040	0.00008
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.00008
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.00008
CBD (Cannabidiol)*	0.0008	0.0080	0.00008
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.00008
CBN (Cannabinol)	< LOQ	< LOQ	0.00008
CBG (Cannabigerol)	< LOQ	< LOQ	0.00008
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.00008
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.00008
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.00008
CBC (Cannabichromene)	< LOQ	< LOQ	0.0002
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.0012
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.00008
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.0012
Total Cannabinoids	0.0013	0.0130	0.00008

Cannabinoids Profile



<LOQ - Results below the Limit of Quantitation

Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

SC Labs®

Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Case Narrative

Potency - CBG and THCV exceeded normally accepted RPD criteria in the Sample Duplicate due to high variations in low values.

Quality Control

Potency

Batch: B263659 - Potency/Terpenes

Blank(B263659-BLK1) **Extracted - 11/04/26 12:15 Analyzed - 11/04/26 17:06**

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
CBCA (Cannabichromenic Acid)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%						

Duplicate(B263659-DUP1) **Extracted - 11/04/26 12:15 Analyzed - 11/04/26 17:14**

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.027	%		0.027			0.0528	20
d8-THC (d8-Tetrahydrocannabinol)	0.0004	%		0.0004			13.1	20
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	0.0008	%		0.0008			2.15	20
CBDA (Cannabidiolic Acid)	< LOQ	%		< LOQ				20
CBN (Cannabinol)	0.00008	%		0.00008			0.256	20
CBG (Cannabigerol)	0.00002	%		0.00003			20.4	20
CBGA (Cannabigerolic Acid)	< LOQ	%		< LOQ				20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
CBCA (Cannabichromenic Acid)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	0.00008	%		0.0001			32.2	20
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%		< LOQ				20

Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

SC Labs®

Analytical Results

SC Laboratories Oregon LLC
ORELAP# 4133/OLCC# 1018619A26E
15865 SW 74th Ave Suite 110, Tigard, OR
503-272-8830
www.sclabs.com

Quality Control

Potency (Continued)

Batch: B263659 - Potency/Terpenes (Continued)

LCS(B263659-BS1) **Extracted - 11/04/26 12:15 Analyzed - 11/04/26 16:57**

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.037	%	0.0387		96.1	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.037	%	0.0353		104	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.036	%	0.0353		102	90-110		
CBD (Cannabidiol)	0.029	%	0.0302		95.5	90-110		
CBDA (Cannabidiolic Acid)	0.033	%	0.0328		99.8	90-110		
CBN (Cannabinol)	0.0005	%				80-120		
CBG (Cannabigerol)	0.0009	%				80-120		
CBGA (Cannabigerolic Acid)	0.0009	%				80-120		
CBDV (Cannabidivarin)	0.0005	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.0003	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
CBCA (Cannabichromenic Acid)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	0.0003	%				80-120		
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%				80-120		

Breeanna Hamilton
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Client:	Lazarus Naturals	**Sampler**	Scott Forster	**Event ID:**	26K0015	**Balance ID:**	SAMP_BAL_05
Address Where Sampled:	17711 NE Riverside Pkwy, Portland, OR 97230	**Transporter:**	Scott Forster	**Date Sampled:**	11/3/2026	**Sampling SOP:**	SC-OR-SAMP-002 rev. 1.03
Client License:	NA	**Preservation:**		**Time Sampled:**	10:16		
Requestor:	Brian C						
Lab ORELAP ID:	4133						
Lab OLCC ID:	010-1018619A26E						

Sampler Signature

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_03	±2.5%	NA	#VALUE!	NA	#VALUE!
200		±2.5%	NA		NA	

Container Type	Harvest or Process Lot:			Sample Type	Client Sample Name	Harvest or Process Date	Batch Size (g)
pallet stacks	CF063 OLCC			Product	SLZ.D9.PF2.6PK-CF063 OLCC	8/12/2026	1664
METRC Batch ID	**# of Containers**	**Sampling Media**		**# Zones**	**# of Inc.**	**1˚ Sample (g)**	**Sample Name**
CF063 OLCC	1	mylar bag		4	1	1	SLZ.D9.PF2.6PK-CF063 OLCC Primary
Lab Sample ID	**Container ID**	**Increment Zone**		**Sampling Media Wt. (g)**	**Wt. Inc+Media (g)**	**Increment Weight (g)**	**Sample METRC ID#**
26K0015-01	SLZ.D9.PF2.6PK-CF063 OLCC	A3		0	1	1	0-NA
Totals:	1	1			Total Primary Mass = 1		Primary + Duplicate Mass = 2 g
	Batch #	**Equipment**	**Cont. Types/Sizes**	**Uniform**	**Plant Colors**	**Shape and Size**	**Sampling Plan ID & Rev. Date**
Observations and Abnormalities:							

METRC Batch ID	# of Containers	Sampling Media		# Zones	# of Inc.	1˚ Sample (g)	Sample Name
CF063 OLCC	1	mylar bag		4	1	1	SLZ.D9.PF2.6PK-CF063 OLCC Duplicate
Lab Sample ID	**Container ID**	**Increment Zone**		**Sampling Media Wt. (g)**	**Wt. Inc+Media (g)**	**Increment Weight (g)**	**Sample METRC ID#**
26K0015-02	SLZ.D9.PF2.6PK-CF063 OLCC	A4		0	1	1	0-NA
Totals:	1	1			Total Duplicate Mass = 1		Primary + Duplicate Mass = 2 g
	Batch #	**Equipment**	**Cont. Types/Sizes**	**Uniform**	**Plant Colors**	**Shape and Size**	**Sampling Plan ID & Rev. Date**
Observations and Abnormalities:							

CHAIN OF CUSTODY

SC Laboratories Oregon LLC
15865 SW 74th Avenue, Ste 110
Tigard OR, 97224
(503) 272-8830
ORELAP ID # 4133
OLCC License # 010-1018619A26E
www.sclabs.com

Client	Lazarus Naturals	COC #	1 of 1 — 26K0015
Address	17711 NE Riverside Pkwy, Portland, OR 97230	Work Order #	26K0015
OLCC License #	NA	Received By	Scott F
OLCC License Type	Processor	Received Date	11/3/2026
Email	bcartwright@lazarusnaturals.com	Courier	Scott F
Phone	925-315-1933	Transfer Manifest #	
Name of Sampler	Scott Forster	Date Sampled	11/3/2026
Sampler OLCC License #	010-1018619A26E	Time Sampled	10:16

SC Labs

Sample Type Legend

- U - Usable Marijuana (Flower)
- E - Extract
- C - Concentrate
- P - Product
- I - Inhalable Cannabinoid Product
- O - Other

Sample Name	Time	METRC Label	Harvest or Process Lot	SC Labs LIMS ID	Sample Type	Total Sample Mass	TESTS REQUESTED: Potency	Pesticide	Residual Solvent	Terpene	Moisture Content	Water Activity	Mycotoxins	Metals	Micros	Sample Specific Notes
SLZ.D9.PF2.6PK-CF063 OLCC Primary	11:03	0-NA	CF063 OLCC	26K0015-01	P	1	X									
SLZ.D9.PF2.6PK-CF063 OLCC Duplicate	11:05	0-NA	CF063 OLCC	26K0015-02	P	1	X									

Notes/Special Considerations:

—RUSH— (unless Amber says no)

Samples Relinquished	Samples Received
Name: Zane / Andrew /Patrice Date: 11/3/2026	Print Name: Scott F Date: 11/3/2026
Representative of: Lazarus	Representative of: SC Labs
Signature: ZCP Time: 11:31A	Signature: SAA Time: 11:31a

Samples Relinquished	Samples Received
Print Name: ____ Date: ____	Print Name: ____ Date: ____
Representative of: ____	Representative of: ____
Signature: ____ Time: ____	Signature: ____ Time: ____

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

Lazarus Naturals
Attn: Sequoia Price-Lazarus/Evan
1116 NW 51st Street
Seattle, WA 98107



SAMPLE INFORMATION

Sample No.: 1437153
Product Name: SLZ.D9.PF2.6PK-CF063
Matrix: Edible (Beverage)
Lot #: CF063

Date Collected: 08/17/2026
Date Received: 08/18/2026
Date Reported: 08/24/2026

TEST SUMMARY

Cannabinoid Profile:	Tested	**Terpenoid Profile:**	Tested
Microbiological Screen:	Pass	**Pesticide Residue Screen:**	Pass
Residual Solvent Screen:	Pass	**Heavy Metal Screen:**	Pass
Foreign Material:	Pass	**Mycotoxin Screen:**	Pass

Cannabinoid Profile Tested

08/20/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g
Measurement of Uncertainty Average: ±6.3%

Cannabinoid	mg/g	mg/ml	%	mg/serving	mg/package	Labeled mg/serving	% Difference
Δ8-THC	ND	ND	ND	ND	ND	-	-
Δ9-THC	0.0050	0.0050	0.0005	0.36	1.78	0.4	10.78
Δ9-THCA	ND	ND	ND	ND	ND	-	-
THCV	ND	ND	ND	ND	ND	-	-
THCVA	ND	ND	ND	ND	ND	-	-
CBD	0.0090	0.0090	0.0009	0.64	3.21	0.8	19.70
CBDA	ND	ND	ND	ND	ND	-	-
CBC	ND	ND	ND	ND	ND	-	-
CBCA	ND	ND	ND	ND	ND	-	-
CBDV	ND	ND	ND	ND	ND	-	-
CBG	ND	ND	ND	ND	ND	-	-
CBGA	ND	ND	ND	ND	ND	-	-
CBN	ND	ND	ND	ND	ND	-	-
Exo-THC	ND	ND	ND	ND	ND	-	-
(6aR,9R)-Δ10-THC	ND	ND	ND	ND	ND	-	-
(6aR,9S)-Δ10-THC	ND	ND	ND	ND	ND	-	-
9(R)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
9(S)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
Δ8-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
Δ9-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
THC-O-Phosphate	NT	NT	NT	NT	NT	-	-
Total THC	0.005	0.0050	0.0005	0.36	1.78	-	-
Total CBD	0.009	0.0090	0.0009	0.64	3.21	-	-
Total Cannabinoids	0.014	0.0141	0.0014	1.00	5.00	-	-
Sum of Cannabinoids	0.014	0.0141	0.0014	1.00	5.00	-	-
Serving Weight (g)	71.3763						
Package Weight (g)	356.8815						
g/ml Conversion Factor	1.0053						

Total THC = Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): This result of this sample is confirmed with a retest.

Terpenoid Profile

08/24/2026

Method: MF-CHEM-17

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Terpene	LOD/LOQ (mg/g)	mg/g	%
α-Pinene	0.009/0.025	ND	ND
Camphene	0.009/0.025	ND	ND
ß-Myrcene	0.009/0.025	ND	ND
β-Pinene	0.009/0.025	ND	ND
δ-3-Carene	0.009/0.025	ND	ND
Limonene	0.009/0.025	ND	ND
α-Terpinene	0.009/0.025	ND	ND
trans-beta-Ocimene	0.006/0.01725	ND	ND
cis-beta-Ocimene	0.003/0.00775	ND	ND
p-Cymene	0.009/0.25	ND	ND
Eucalyptol	0.009/0.025	ND	ND
γ-Terpinene	0.009/0.025	ND	ND
Terpinolene	0.009/0.025	ND	ND
Linalool	0.009/0.025	ND	ND
Isopulegol	0.009/0.025	ND	ND
Menthol	0.009/0.025	ND	ND
(-)-Borneol	0.009/0.025	ND	ND
Terpineol	0.009/0.025	ND	ND
Citronellol	0.009/0.025	ND	ND
Geraniol	0.009/0.025	ND	ND
ß-Caryophyllene	0.009/0.025	ND	ND
α-Humulene	0.009/0.025	ND	ND
cis-Nerolidol	0.004/0.01025	ND	ND
trans-Nerolidol	0.005/0.01475	ND	ND
Guaiol	0.009/0.25	ND	ND
Caryophyllene Oxide	0.009/0.025	ND	ND
α-Bisabolol	0.009/0.025	ND	ND
Total Terpenes	-	ND	ND

Microbiological Screen ✔ Pass

08/24/2026

Instrument: Molecular Detection System

Analyte	Findings	Units	Instrument	Method	Limit	Status
Coliforms	0/10	cfu/g	-	FDA BAM - ECC Agar	Not Detected	Pass
E. coli	Not Detected	/1g	-	FDA BAM Modified	Not Detected	Pass
Standard Plate Count	0/10	cfu/g	-	FDA BAM	100,000	Pass
Total Yeast and Mold	0/10	cfu/g	-	FDA BAM	10,000	Pass
Bile-Tolerant Gram Negative Bacteria	<1	cfu/g	-	AOAC 2003.01	1,000	Pass
STEC	Not Detected	/25g	-	MF-MICRO-18	1.0	Pass
Aspergillus flavus	Not Detected	/25g	-	MF-MICRO-14	1.0	Pass
Aspergillus fumigatus	Not Detected	/25g	-	MF-MICRO-14	1.0	Pass
Aspergillus niger	Not Detected	/25g	-	MF-MICRO-14	1.0	Pass
Aspergillus terreus	Not Detected	/25g	-	MF-MICRO-14	1.0	Pass
Salmonella	Not Detected	/25g	Molecular Detection System	MF-MICRO-11 (AOAC 2016.01)	-	-

Pesticide Residue Screen ✔ Pass

08/24/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty Average: ±21.40%

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.003/0.01	ND	0.01	Pass
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.003/0.01	ND	0.01	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Captan	0.250/0.7	ND	0.7	Pass
Carbaryl	0.003/0.01	ND	0.01	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.020/0.06	ND	0.06	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
DDVP (Dichlorvos)	0.003/0.01	ND	0.01	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.003/0.01	ND	0.01	Pass
Dimethomorph	0.003/0.01	ND	0.01	Pass
Ethoprop(hos)	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.007/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.007/0.02	ND	0.02	Pass
Fipronil	0.003/0.01	ND	0.01	Pass
Flonicamid	0.003/0.01	ND	0.01	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Kresoxim Methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.003/0.01	ND	0.01	Pass
Methyl parathion	0.003/0.01	ND	0.01	Pass
Mevinphos	0.007/0.02	ND	0.02	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.003/0.01	ND	0.01	Pass
Oxamyl	0.003/0.01	ND	0.01	Pass
Paclobutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.003/0.01	ND	0.01	Pass
Permethrins	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Piperonyl Butoxide	0.003/0.01	ND	0.01	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramat	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass
Tebuconazole	0.003/0.01	ND	0.01	Pass
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass
Azadirachtin	0.100/0.30	ND	0.3	Pass
Chlormequat Chloride	0.03/0.10	ND	0.1	Pass
MGK 264	0.03/0.10	ND	0.1	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Residual Solvent Screen ✔ Pass

08/24/2026

Method: MF-CHEM-32

Measurement of Uncertainty Average: ±1.43%

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Propane	67/200	ND	210	Pass
(+/-)-2-Butanol	13.3/40	ND	5000	Pass
1,1-Dichloroethene	2/4	ND	8	Pass
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
1,4-Dioxane	13.3/40	ND	30	Pass
2-Ethoxyethanol	13.3/40	ND	160	Pass
Acetone	67/200	<LOQ	500	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
Chloroform	0.2/0.5	ND	2	Pass
Cumene	13.3/40	ND	70	Pass
Cyclohexane	13.3/40	ND	3880	Pass
Ethanol	67/200	1410.00	5000	Pass
Ethyl acetate	67/200	ND	1000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene Glycol	13.3/40	ND	620	Pass
Ethylene oxide	0.2/0.5	ND	5	Pass
n-Heptane	67/200	ND	500	Pass
Isopropyl Acetate	13.3/40	ND	5000	Pass
Isopropyl alcohol	67/200	ND	500	Pass
Methanol	67/200	ND	500	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
Toluene	67/200	ND	53	Pass
Tetrahydrofuran	13.3/40	ND	720	Pass
Trichloroethene	13.3/40	ND	80	Pass
Isobutane	6.7/20	ND	-	See Total Butanes
n-Butane	67/200	ND	-	See Total Butanes
Total Butanes	6.7/40	ND	500	Pass
2,2-Dimethylbutane	2.7/8	ND	-	See Total Hexanes
2,3-Dimethylbutane	2.7/8	ND	-	See Total Hexanes
2-Methylpentane	2.7/8	ND	-	Pass
3-Methylpentane	2.7/8	ND	-	Pass
n-Hexane	67/200	ND	-	See Total Hexanes
Total Hexanes	2.7/8	ND	18	Pass
2 Methylbutane	4.4/13.34	ND	-	See Total Pentanes
Neopentane	4.4/13.34	ND	-	See Total Pentanes
n-Pentane	67/200	ND	-	See Total Pentanes
Total Pentanes	4.4/13.34	ND	500	Pass
Ethylbenzene	3.3/10	ND	-	See Total Xylenes
m+p-Xylene	6.7/20	ND	-	See Total Xylenes
o-Xylene	3.3/10	ND	-	See Total Xylenes
Total Xylenes	67/200	ND	217	Pass

Heavy Metal Screen ✔ Pass

08/24/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Measurement of Uncertainty Average: ±4.4%

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit	Status
Arsenic	0.033/0.101	ND	0.2	Pass
Cadmium	0.047/0.141	ND	0.2	Pass
Mercury	0.014/0.05	ND	0.1	Pass
Lead	0.107/0.324	ND	0.5	Pass

Foreign Material ✔ Pass

08/24/2026

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

anresco LABORATORIES since 1943

Certificate of Analysis

Mycotoxin Screen ✔ Pass

08/24/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty (MU): ±20.21%

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	20	Pass
Aflatoxin B2	2/5	ND	20	Pass
Aflatoxin G1	2/5	ND	20	Pass
Aflatoxin G2	2/5	ND	20	Pass
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	2/5	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.